

edelbrock avs2 installation instructions

Edelbrock AVS2 Installation Instructions: A Step-by-Step Guide for Optimal Performance

edelbrock avs2 installation instructions are essential for anyone looking to upgrade their vehicle's intake system with one of the best-performing carburetors on the market. The Edelbrock AVS2 carburetor is renowned for its reliability, fuel efficiency, and power enhancement, but proper installation ensures you get the most out of this high-quality component. Whether you're a seasoned mechanic or a passionate DIY enthusiast, understanding the nuances of this installation process will help you avoid common pitfalls and maximize your engine's potential.

In this comprehensive guide, we'll walk you through everything you need to know about installing the Edelbrock AVS2, from preparing your workspace to fine-tuning the carburetor after installation. Along the way, we'll cover important tips on compatibility, tools required, and troubleshooting common issues.

Getting Ready: What You Need Before Installation

Before diving into the installation process, it's crucial to ensure you have all the necessary tools and materials. The Edelbrock AVS2 is designed to fit most small-block and big-block Chevy engines, but verifying compatibility with your specific engine model will save you time and headaches.

Tools and Materials Checklist

- Socket wrench set
- Flathead and Phillips screwdrivers
- Torque wrench
- Gasket scraper or razor blade
- New intake manifold gasket
- Thread sealant or Teflon tape

- Fuel line wrench
- Clean rags and degreaser
- Fuel filter (recommended replacement)
- Carburetor cleaner spray
- Safety gloves and goggles

Having these on hand will make the installation process smoother and safer. Additionally, make sure your vehicle is parked on a level surface with the engine cool before starting.

Step-by-Step Edelbrock AVS2 Installation Instructions

Step 1: Remove the Old Carburetor

Start by disconnecting the battery to prevent accidental sparks. Then, carefully detach the air filter assembly and remove any bracketry or hoses connected to the existing carburetor. Take note of where each vacuum line and linkage attaches, or better yet, take photos to reference during reassembly.

Once everything is disconnected, use your socket wrench to loosen and remove the mounting nuts holding the carburetor to the intake manifold. Gently lift the carburetor off, being cautious not to drop any debris into the intake ports.

Step 2: Clean the Intake Manifold Surface

Before installing your Edelbrock AVS2 carburetor, it's vital to clean the mating surface on the intake manifold thoroughly. Use a gasket scraper or a razor blade to remove any old gasket material, dirt, or residue. Follow up by wiping the surface with a clean rag and carburetor cleaner to ensure a smooth, contaminant-free area for the new gasket.

This step cannot be overlooked, as a clean, flat surface prevents air leaks that can cause poor engine performance or rough idling.

Step 3: Prepare the Edelbrock AVS2 Carburetor

The AVS2 comes pre-tuned for most applications, but you should still inspect it before installation. Check that the choke is functioning properly and that all screws and fittings are tight. Some enthusiasts recommend lightly lubricating the throttle linkage for smoother operation.

If your kit includes a new gasket, position it carefully on the intake manifold. Avoid using excessive gasket sealant unless specified by the manufacturer, as this can cause gasket displacement or clog passageways.

Step 4: Mount the Carburetor

Place the Edelbrock AVS2 carburetor onto the intake manifold, aligning it with the mounting studs. Hand-tighten the mounting nuts initially to keep the carburetor in place. Then, using a torque wrench, tighten the nuts in a crisscross pattern to the manufacturer's recommended torque specification—this typically ranges between 15-22 ft-lbs.

Proper torque ensures a good seal and prevents damage to the carburetor base or manifold.

Step 5: Reconnect Fuel Lines, Linkages, and Vacuum Hoses

Reconnect the fuel line using a fuel line wrench to avoid rounding off fittings. Apply thread sealant or Teflon tape if necessary to prevent leaks. Next, connect the throttle and choke linkages, ensuring they move freely without binding.

Reattach all vacuum hoses according to your earlier notes or photos. Incorrect vacuum connections can lead to drivability issues such as stalling or poor acceleration.

Step 6: Install the Air Cleaner and Reconnect the Battery

Once everything is connected, reinstall the air cleaner assembly. Double-check that all bolts and clamps are secure. Finally, reconnect the battery terminals.

Fine-Tuning and Adjustments After Installation

Installing the Edelbrock AVS2 carburetor is only part of the process. For optimal performance and fuel economy, some tuning is necessary.

Adjusting the Idle Mixture Screws

Locate the idle mixture screws on the carburetor body. With the engine running and warmed up, turn each screw slowly clockwise until the engine RPM drops, then back them out slightly to achieve the highest stable idle speed. This adjustment ensures the air-fuel mixture is balanced for smooth idling.

Setting the Idle Speed

Use the idle speed screw to adjust the RPM to the manufacturer's recommended idle speed, typically between 600-800 RPM for most street-driven vehicles. Avoid setting it too high, as this can increase wear and fuel consumption.

Checking for Vacuum Leaks

After tuning, inspect all vacuum connections and gasket seals for leaks. A simple way is to spray carburetor cleaner around the base and vacuum fittings while the engine is running—if the RPM changes abruptly, you've found a leak that needs attention.

Common Troubleshooting Tips for Edelbrock AVS2 Installation

Even with careful installation, some issues might arise. Here are a few common problems and how to address them:

- **Hard Starting:** Check choke settings and fuel supply. An improperly adjusted choke can flood the engine or cause lean starts.
- **Rough Idle or Stalling:** Inspect vacuum lines for leaks and fine-tune idle mixture screws.
- **Fuel Leaks:** Tighten fuel line fittings and ensure the fuel inlet is properly sealed.

- **Poor Acceleration:** Verify throttle linkage is free-moving and not binding.

Patience and attention to detail during installation and tuning will pay off with improved throttle response and engine efficiency.

Additional Tips for a Successful Edelbrock AVS2 Installation

- Always use a new intake manifold gasket when installing the carburetor to prevent air leaks.
- Consider replacing the fuel filter during installation to maintain clean fuel flow.
- If you're upgrading from an older carburetor, inspect your fuel pump pressure to ensure it matches the Edelbrock AVS2's requirements.
- Refer to the vehicle's service manual for any specific torque specs or adjustments unique to your engine.
- Keep a carburetor rebuild kit handy in case you need to replace worn parts during installation or maintenance.

Installing the Edelbrock AVS2 carburetor can be a rewarding project that boosts your vehicle's performance and drivability. By following these detailed installation instructions and tips, you'll ensure your engine runs smoothly and efficiently, making the most of what this high-quality carburetor has to offer.

Frequently Asked Questions

What tools are needed for Edelbrock AVS2 installation?

Common tools required include a socket set, screwdrivers, pliers, a torque wrench, and possibly a gasket scraper depending on your vehicle's existing setup.

Are there any vehicle-specific considerations for installing Edelbrock AVS2?

Yes, installation steps can vary based on your vehicle's make and model. Always refer to the specific instructions provided by Edelbrock for your vehicle to ensure proper fitment and compatibility.

How do I remove the old carburetor before installing the Edelbrock AVS2?

Disconnect the battery, remove the fuel line, linkages, and any vacuum lines attached to the old carburetor. Then unbolt the carburetor from the intake manifold carefully to avoid damaging the gasket surface.

What is the recommended torque specification for Edelbrock AVS2 mounting bolts?

Edelbrock typically recommends torquing the mounting bolts evenly in a crisscross pattern to about 15-20 ft-lbs, but always verify with the included instructions for your specific model.

Do I need to adjust the idle mixture screws after installing the Edelbrock AVS2?

Yes, after installation, it is important to adjust the idle mixture screws according to the instructions to achieve optimal engine performance and fuel efficiency.

Can I install the Edelbrock AVS2 without professional help?

If you have basic mechanical skills and the right tools, you can install the Edelbrock AVS2 by carefully following the step-by-step instructions. However, if unsure, consulting a professional is recommended.

Where can I find the official Edelbrock AVS2 installation instructions?

Official installation instructions can be found on Edelbrock's website under the product support section or included in the packaging of the AVS2 carburetor kit.

Additional Resources

Edelbrock AVS2 Installation Instructions: A Comprehensive Guide for Optimal Performance

edelbrock avs2 installation instructions are essential for vehicle enthusiasts and mechanics seeking to maximize the performance of their Edelbrock Air Velocity System 2 (AVS2) intake manifold. This advanced component, designed primarily for modern LS engines, offers enhanced airflow dynamics, resulting in improved horsepower and torque across a wide RPM range. However, the benefits of the AVS2 manifold can only be fully realized

when installed correctly, emphasizing the importance of following precise guidelines during installation.

The Edelbrock AVS2 represents a significant evolution in intake manifold design, boasting features such as CNC-machined runners, integrated fuel rails, and optimized plenum volume to balance air distribution. Understanding the installation process not only ensures mechanical integrity but also helps maintain the manifold's performance characteristics, preventing common pitfalls such as vacuum leaks or improper fuel delivery.

Understanding the Edelbrock AVS2 Intake Manifold

Before delving into the installation steps, it's important to appreciate what sets the Edelbrock AVS2 apart from standard intake manifolds. This manifold is engineered specifically for LS-series engines, offering a direct bolt-on replacement capable of accommodating aftermarket throttle bodies and fuel injection systems. The AVS2's design features an enhanced plenum chamber and individual runners that have been tuned for optimal airflow velocity, aiming to deliver peak power gains without sacrificing drivability.

Moreover, the manifold includes provisions for coil packs and sensors, facilitating integration with stock or upgraded engine management systems. This compatibility makes it a preferred choice among performance builders who require both reliability and adaptability.

Preparation Before Installation

Proper preparation is key in the installation of the Edelbrock AVS2 manifold. Here are critical pre-installation considerations:

- **Gather Tools and Materials:** Ensure availability of standard automotive tools such as torque wrenches, socket sets, screwdrivers, and gasket scrapers. Additionally, new gaskets, thread sealant, and recommended lubricants should be at hand.
- **Engine Condition:** The engine should be cool to prevent burns and to allow for gasket materials to adhere properly.
- **Clean Surface:** Thoroughly clean the cylinder head intake ports and mating surfaces to remove old gasket residue and contaminants that could cause leaks.
- **Review Manufacturer's Guide:** Although this article provides a detailed overview, consulting the specific Edelbrock AVS2 installation manual is

advisable to verify torque specs and unique vehicle requirements.

Key Differences in AVS2 Installation

Compared to traditional intake manifolds, the AVS2 requires attention to certain nuances:

- *Integrated Fuel Rails:* The AVS2 often comes with pre-installed fuel rails, necessitating careful handling of fuel lines to avoid leaks.
- *Coil Pack and Sensor Integration:* The manifold's design integrates coil packs directly, requiring careful electrical connections.
- *Throttle Body Compatibility:* While compatible with various throttle bodies, verifying bolt pattern and sensor alignment is crucial before final installation.

Step-by-Step Edelbrock AVS2 Installation Instructions

1. Removal of the Existing Intake Manifold

Begin by disconnecting the battery to prevent electrical shorts. Remove the engine cover and detach all necessary components connected to the existing intake manifold, such as vacuum lines, electrical connectors, throttle body, and fuel injectors if applicable. Carefully unbolt the manifold, keeping track of bolt locations for reassembly.

2. Cleaning and Inspection

After removal, inspect the cylinder heads and intake ports for carbon buildup or debris. Use a gasket scraper and appropriate cleaning solvents to prepare the surfaces. This step is crucial to ensure a proper seal with the new gaskets.

3. Installing New Gaskets

Place the supplied Edelbrock AVS2 intake manifold gaskets on the cylinder head surfaces. Avoid using any gasket sealer unless explicitly recommended by Edelbrock, as excessive sealant can clog orifices and impede airflow.

4. Positioning the Edelbrock AVS2 Manifold

Carefully lower the AVS2 manifold onto the engine, aligning bolt holes and ensuring the gaskets remain in place. This step requires patience and precision to avoid damaging the gaskets.

5. Bolting Down the Manifold

Start threading the manifold bolts by hand to prevent cross-threading. Using a calibrated torque wrench, tighten the bolts in the manufacturer's recommended sequence and torque specifications. This usually involves a crisscross pattern to evenly distribute pressure.

6. Connecting Fuel Lines and Electrical Components

Attach the fuel lines to the integrated fuel rails, ensuring all connections are secure and leak-free. Reconnect coil pack wiring harnesses and any sensors integrated into the manifold, verifying that clips and connectors are fully seated.

7. Reinstalling the Throttle Body and Accessories

Mount the throttle body onto the AVS2 manifold, confirming alignment of the throttle position sensor and idle air control valves if applicable. Reconnect all vacuum lines, electrical connectors, and any other removed components.

8. Final Checks and Testing

Reconnect the battery and inspect all connections for proper fitment. Start the engine and monitor for vacuum leaks, fuel leaks, or abnormal noises. It's advisable to perform a test drive to evaluate the manifold's performance and ensure the engine management system adapts correctly.

Common Challenges and Troubleshooting Tips

While the Edelbrock AVS2 installation process is straightforward for experienced professionals, common issues may arise:

- **Vacuum Leaks:** Misaligned gaskets or improperly torqued bolts can cause air leaks, leading to rough idle or check engine lights. Double-check gasket placement and bolt torque.
- **Fuel Leaks:** Loose fittings on integrated fuel rails can be hazardous. Always inspect fuel lines after installation and before starting the engine.
- **Electrical Connection Issues:** Sensors and coil packs must be connected firmly. Loose connections may cause misfires or sensor errors.

Comparison with Other LS Intake Manifolds

In the competitive market of LS intake manifolds, the Edelbrock AVS2 stands out for its blend of performance and versatility. Compared to factory manifolds, the AVS2 offers improved airflow dynamics and direct compatibility with aftermarket parts. Unlike some competitors, it comes with integrated fuel rails and provisions for coil packs, reducing the need for additional modifications.

However, the installation process demands a higher degree of precision, partly due to its integrated components. Users accustomed to simpler bolt-on manifolds may find the AVS2 installation more involved but ultimately rewarding in terms of performance gains.

Maximizing Performance Post-Installation

After successful installation, tuning the engine management system to accommodate the altered airflow characteristics of the Edelbrock AVS2 is advisable. Custom tuning can optimize fuel maps and ignition timing, unlocking the manifold's full potential.

Additionally, pairing the AVS2 with complementary upgrades such as high-flow throttle bodies, performance camshafts, and exhaust systems can amplify gains. Regular maintenance, including periodic inspection of the manifold and related components, ensures sustained performance and longevity.

The Edelbrock AVS2 installation instructions provide a roadmap to transform

an LS engine's breathing capabilities efficiently and reliably. While requiring careful adherence to detail, the process empowers enthusiasts and technicians to harness the manifold's advanced engineering, resulting in tangible improvements in power and throttle response.

Edelbrock Avs2 Installation Instructions

Find other PDF articles:

<http://142.93.153.27/archive-th-096/Book?docid=GrB91-2759&title=sarah-adams-practice-makes-perfect.pdf>

edelbrock avs2 installation instructions: Rock-Ola Model 1544 and 1546 120 Selection Wall Box Models Service Manual, Installation Instructions and Parts List Rock-Ola Manufacturing Corporation Staff, 1984-05-01

edelbrock avs2 installation instructions: INSTALLATION INSTRUCTIONS (SYVAC A/C USER GUIDE, Volume 3) S. Carr, F. Taylor, Radioactive Waste Management Research Programme (Great Britain), Scicon Ltd, 1986

edelbrock avs2 installation instructions: Colorado Tape Backup Drive Installation Instructions OCLC., 1994

edelbrock avs2 installation instructions: IBM ISA Internal CD-ROM Drive Installation Instructions OCLC., 1994

edelbrock avs2 installation instructions: M386/16 Workstation Upgrade Installation Instructions OCLC., 1993

edelbrock avs2 installation instructions: Technical Bulletin, Installation Instructions For Installation Kit, Etc., TB 11-5820-890-20-101, August 1, 1999 United States. Department of the Army, 2003*

edelbrock avs2 installation instructions: *VA3400 Series Modem* Vadic Corporation, 1974

edelbrock avs2 installation instructions: M386sx/25 and M486 Workstation Upgrade Installation Instructions OCLC., 1993

edelbrock avs2 installation instructions: *Technical Bulletin, Installation Instructions For Installation Kit, Etc, TB 11-5820-890-20-52, August 1, 1999* , 2001

edelbrock avs2 installation instructions: EndNote Plus 2 Lab-Pack Guide , 1997

edelbrock avs2 installation instructions: Audio System Installation Manual David G. Meyer, Benjamin J. Leon, Purdue University. School of Electrical Engineering, 1978

edelbrock avs2 installation instructions: Instructions , 1947

edelbrock avs2 installation instructions: Rock-Ola Model 1458 Phonograph Installation Manual, Instruction Manual, Parts List Rock-Ola Manufacturing Corp, 1957

edelbrock avs2 installation instructions: *Installation Manual* , 1986

edelbrock avs2 installation instructions: Specific Operating Instructions , 1946

edelbrock avs2 installation instructions: Seeburg Model STD160, ESTD160 "Vogue II," SQS160 and ESQS160 of 1974 Installation and Operation Manual and Parts Catalog Seeburg Company Staff, 1986-01-01

edelbrock avs2 installation instructions: *Specific Operating Instructions* Pratt & Whitney Aircraft Company, 1950

edelbrock avs2 installation instructions: *Specific Operating Instructions* Pratt & Whitney

Aircraft Group, 1946

edelbrock avs2 installation instructions: [Installation Manual](#) , 1994

edelbrock avs2 installation instructions: [Seeburg Wireless Wall-O-Matic Types W1-L56, S4-L56, and W6-L56 Wired Wall-O-Matic Types 3W2-L56, 3W5-L56 and 3W7-L56 Service Manual](#) Frank Adams, 1993-01-01

Related to edelbrock avs2 installation instructions

Vortec Cylinder Heads: The Definitive Guide - Guys, Dave "Dirt" Reynolds has suggested that we devote some space on the message board to Vortec heads. Cylinder heads are arguably the most important link in the

Edelbrock AVS2 650CFM Vs Jet performance stage 2 Q-Jet Its in the title Brodix 180 Headed, solid FT cammed, high revving street/track 327. RPM Air-gap intake

Which carb to run for new 406 SBC? - Just wrapping up the install of my new 406. I am planning on using my old Edelbrock 650 cfm Thunder Series to break it in and put some miles on it, but I'm confident it'll

Questions about Edelbrock BBC heads? - Second Generation The set I have are the GM version of the RPM ovals (Edelbrock makes them for GM) that have 2.25" intake valves. They have no street time, just a handful of passes at the

IntakeWhich Way? - Which way do my edelbrock intake manifold gaskets install?one side has "edelbrock" pintoed on it along with raised sealing surfaces around the ports. The other side is

Edelbrock victor 4+4 - Second Generation Camaro Owners Group posted January 09, 2005 10:23 PM Has anyone ever used an Edelbrock Victor 4+4 on there sbc? Right now I have a Team G Part#7532 (2800-7800 rpm range), but I also have a victor 4+4

Which carb to run for new 406 SBC? | Page 2 | I've seen more than a few "newly" built SBC come in with excessive oiling issues, complaints of lack of power, detonation, horrible fuel usage we dyno test them to confirm

454 swap, stock hood, which intake?? - Second Generation The Edelbrock Torker II would probably fit under the hood with a drop base air cleaner. The only other manifold, besides the factory units, I can think of that would fit is the old Edelbrock S.P.2

performer vs rpm or holley 300-36 - Second Generation Camaro But YES the 300-36 is my choice if running a Holley, Edelbrock, or Demon carb. Runner volume is unbeatable and plenum volume is just enough to feed the runners without being "too big"

drop base air cleaner for edelbrock carb - Second Generation I ended up getting that Edelbrock carb to air cleaner assembly spacer (like the one Damon mentioned) and that solved my clearance problem with the air cleaner assembly

Vortec Cylinder Heads: The Definitive Guide - Guys, Dave "Dirt" Reynolds has suggested that we devote some space on the message board to Vortec heads. Cylinder heads are arguably the most important link in the

Edelbrock AVS2 650CFM Vs Jet performance stage 2 Q-Jet Its in the title Brodix 180 Headed, solid FT cammed, high revving street/track 327. RPM Air-gap intake

Which carb to run for new 406 SBC? - Just wrapping up the install of my new 406. I am planning on using my old Edelbrock 650 cfm Thunder Series to break it in and put some miles on it, but I'm confident it'll

Questions about Edelbrock BBC heads? - Second Generation The set I have are the GM version of the RPM ovals (Edelbrock makes them for GM) that have 2.25" intake valves. They have no street time, just a handful of passes at the

IntakeWhich Way? - Which way do my edelbrock intake manifold gaskets install?one side has "edelbrock" pintoed on it along with raised sealing surfaces around the ports. The other side is

Edelbrock victor 4+4 - Second Generation Camaro Owners Group posted January 09, 2005 10:23 PM Has anyone ever used an Edelbrock Victor 4+4 on there sbc? Right now I have a Team G Part#7532 (2800-7800 rpm range), but I also have a victor 4+4

Which carb to run for new 406 SBC? | Page 2 | I've seen more than a few "newly" built SBC come in with excessive oiling issues, complaints of lack of power, detonation, horrible fuel usage we dyno test them to confirm

454 swap, stock hood, which intake?? - Second Generation The Edelbrock Torker II would probably fit under the hood with a drop base air cleaner. The only other manifold, besides the factory units, I can think of that would fit is the old Edelbrock S.P.2

performer vs rpm or holley 300-36 - Second Generation Camaro But YES the 300-36 is my choice if running a Holley, Edelbrock, or Demon carb. Runner volume is unbeatable and plenum volume is just enough to feed the runners without being "too big"

drop base air cleaner for edelbrock carb - Second Generation I ended up getting that Edelbrock carb to air cleaner assembly spacer (like the one Damon mentioned) and that solved my clearance problem with the air cleaner assembly

Vortec Cylinder Heads: The Definitive Guide - Guys, Dave "Dirt" Reynolds has suggested that we devote some space on the message board to Vortec heads. Cylinder heads are arguably the most important link in the

Edelbrock AVS2 650CFM Vs Jet performance stage 2 Q-Jet Its in the title Brodix 180 Headed, solid FT cammed, high revving street/track 327. RPM Air-gap intake

Which carb to run for new 406 SBC? - Just wrapping up the install of my new 406. I am planning on using my old Edelbrock 650 cfm Thunder Series to break it in and put some miles on it, but I'm confident it'll

Questions about Edelbrock BBC heads? - Second Generation The set I have are the GM version of the RPM ovals (Edelbrock makes them for GM) that have 2.25" intake valves. They have no street time, just a handful of passes at the

IntakeWhich Way? - Which way do my edelbrock intake manifold gaskets install?one side has "edelbrock" panted on it along with raised sealing surfaces around the ports. The other side is

Edelbrock victor 4+4 - Second Generation Camaro Owners Group posted January 09, 2005 10:23 PM Has anyone ever used an Edelbrock Victor 4+4 on there sbc? Right now I have a Team G Part#7532 (2800-7800 rpm range), but I also have a victor 4+4

Which carb to run for new 406 SBC? | Page 2 | I've seen more than a few "newly" built SBC come in with excessive oiling issues, complaints of lack of power, detonation, horrible fuel usage we dyno test them to confirm

454 swap, stock hood, which intake?? - Second Generation The Edelbrock Torker II would probably fit under the hood with a drop base air cleaner. The only other manifold, besides the factory units, I can think of that would fit is the old Edelbrock S.P.2

performer vs rpm or holley 300-36 - Second Generation Camaro But YES the 300-36 is my choice if running a Holley, Edelbrock, or Demon carb. Runner volume is unbeatable and plenum volume is just enough to feed the runners without being "too big"

drop base air cleaner for edelbrock carb - Second Generation I ended up getting that Edelbrock carb to air cleaner assembly spacer (like the one Damon mentioned) and that solved my clearance problem with the air cleaner assembly

Related to edelbrock avs2 installation instructions

Tuning Up the Edelbrock AVS2 Carb (Hot Rod6y) Not everyone is interested in more horsepower. What is often acknowledged as a "great carburetor" is actually one that simply has excellent throttle response. An engine that instantly responds to

Tuning Up the Edelbrock AVS2 Carb (Hot Rod6y) Not everyone is interested in more horsepower. What is often acknowledged as a "great carburetor" is actually one that simply has excellent throttle response. An engine that instantly responds to